

## REMARKS

The Examiner's Office Action of 07/07/2005 has been reviewed.

The Examiner has objected to the drawings. In response thereto, the specification has been amended on Page 14, line 22, and now properly recites reference character "96" as a grip and reference character "98" as an interior end.

In further response to the objection to the drawings regarding reference signs not included in the description, reference character "40" has been added to Figure 1 and "62" has been added to Figure 5. The Examiner's attention is directed to Figure 5 wherein reference character "54" appears in the drawings as originally submitted.

Finally in response to the objection to the drawings regarding reference characters not mentioned in the description, the Examiner's attention is directed to the specification Page 11, Paragraph 5, Line 6, wherein reference character "24" identifies the lateral side and Page 14, Line 5 wherein reference character "86" identifies the cross arm. As mentioned first above, Page 14 has been amended to now properly identify "98" as the interior end. Submitted herewith are replacement sheets of drawings for the Examiner's approval.

The Examiner has then objected to the specification. The specification has been amended at Page 15 correcting "mover" to

-- moved --, a typographical error.

The Examiner has rejected Claims 1-5 "under 35 U.S.C. 112". In response thereto, the claims have been amended in accordance with the Examiner's helpful suggestions.

More specifically, Claims 1 has been amended at line 16 to now proper recite the spacer as "L-shaped"; in the fourth paragraph, lines 3 and 4 to now properly recite "the template having primary recesses each with a profile an depth"; in the fifth paragraph, line 5 to properly recite "through each threaded hole of the L-shaped spacer" and by inserting at the end of that paragraph "each fence component adapted to e formed with a secondary recess with a profile and a depth corresponding to a profile and depth of a primary recess of the template"; and finally in the last paragraph, line 8 to now correctly recite "the router in forming the profile and depths of the primary and secondary recesses."

Claim 2 has been amended at line 3 to clarify "each sideof the working surface"; at line 4 "a tube with ends" and line 7 "parallel rails".

Claim 3 has been amended at line 3 to correct a typographical errors "in" has been corrected to is and "with" has been corrected to further including, at lines 9 and 10 "an inverted L-shaped spacer coupling each lateral side with ~~the~~ associated fixed blocks".

Claim 4 has been amended at lines 4 and 5 to now correctly recite "the template having primary recesses each with a profile and a depth" and by inserting at line 9 "each fence component adapted to be formed with a secondary recess with a profile and a depth corresponding to a profile and depth of a primary recess of the template."


Claim 5 has been amended at line 4 by deleting "midway between the center lien and the rail without the threaded holes".

Lastly, one new claim, Claim 6, has been patterned after Claim 2 to round out the protection to which it appears applicant is entitled.

Applicant wishes to thank the Examiner for the courtesies extended, attention to detail and helpful suggestions.

It is deemed that the amendments herein overcome all grounds of objection and rejection. Reconsideration and a Notice of Allowance are requested.

Respectfully submitted,



Edward P. Dutkiewicz,  
Reg. 46,676  
640 Douglas Avenue  
Dunedin, FL 34698  
(727) 734-2855



FIG 1





FIG 2



FIG 5




FIG 6

